·	McCAMPBELL ANALYTICAL, INC.						CHAIN OF CUSTODY RECORD																
	1534 Willow Pass Rd. Pittsburg, Ca. 94565-1701 Telephone: (877) 252-9262 / Fax: (925) 252-9269 www.mccampbell.com main@mccampbell.com							Turn Around Time:1 Day Rush					2 Day Rush		3 Day Rusi			STD		Quote #			
								J-Flag / MDL ESL				Cleanup Approve			proved		Bottle Order #						
								Delivery Format: PDF			Geo	GeoTracker EDF E			EDD		Write On (DW)		(DW)	I	EQuIS		
Report To: Bill To:								Analysi				is Requested					Helium Shroud SN#						
Company:											Э,	ле,		le					Leak Check Default is IPA				IPA
Email:									15 (µg/m³)		lehyde, CC	ane, Ethyler		APH: Aliphatic and/or Aromatic (circle one) μg/m³	Helium Leak Check %	Leak Check (IPA, Norflorane, 1,1-difluroethane) µg/m³			Notes: Please specify units if different than				
Alt Email: Tele:							Votes						default: VOCs is reported in μg/m ³ , fixed is reported in %.										
Project Name: Project#:							See 1			rmale	e, Eth 6		18 ГСР						oricu	111 /0.			
Project Location: PO #							J	n³)		LEED: (inc. 4PCH, Formaldehyde, CO, Total VOCs)	O _{2,} Methano ane, CO) %	N2, N2) %											
Sampler Signature:						Matrix							ζ.						Can	ister			
SAMPLE I Location / Field		Sai	npling	g Start	End	Canister SN#	Sample Kit / Manifold #	VOCs TO-15 (µg/m³) - See Notes	8010 by TO-15 (µg/m³)	TPH(g) (μg/m³) LEED: (inc. 4Pe	LEED: (inc. ' Fotal VOCs)	Fixed Gas (CO ₂ Methane, Ethane, Ethylene, Acetylene, Propane, CO) %	Acetylene, Fropane, CO Fixed Gas: (O ₂ , N ₂)	APH: Alipha one) µg/m³	n Leak	Leak Check (IPA, No difluroethane) μg/m³			Soilgas	Indoor Air		Pressure	Vacuum
		Da	e	Time	Time	Callister SIN#					LEED Total				Heliur							Initial	Final
**MAI clients MUST discle						neir submitted samples urcharge and the client																sample handl	ing by MAI

Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time	Comments / Instructions			
						1			