

# Microbiology COC

MAI Work Order # \_\_\_\_\_


**McCAMPBELL ANALYTICAL, INC.**  
 1534 Willow Pass Rd. Pittsburg, Ca. 94565-1701  
 Telephone: (877) 252-9262 / Fax: (925) 252-9269  
[www.mccampbell.com](http://www.mccampbell.com)      [main@mccampbell.com](mailto:main@mccampbell.com)

CHAIN OF CUSTODY RECORD										
Turn Around Time: 1 Day Rush			2 Day Rush			3 Day Rush			STD	Quote #
Approval To Run Past Hold Time					Initials:		Bottle Order #			
Delivery Format:		PDF	GeoTracker EDF			EDD	CLIP EDT (DW)		Detect Summary	

Report To: \_\_\_\_\_ Bill To: \_\_\_\_\_

Company: \_\_\_\_\_

Email: \_\_\_\_\_

Alt Email: \_\_\_\_\_ Tele: \_\_\_\_\_

Project Name: \_\_\_\_\_ Project #: \_\_\_\_\_

Project Location: \_\_\_\_\_ PO # \_\_\_\_\_

Sampler Signature: \_\_\_\_\_

## Analysis Requested

SAMPLE ID Location / Field Point	Sampling		#Containers	Matrix	Preservative	Analysis Requested										Prescence / Absence	Comments		
	Date	Time				Total Coliform w E. Coli (SM9223B) Drinking Water	E. Coli (SM9223B) Waste/Ambient Water	Total Coliform w E. Coli (SM9221CF) Waste/Ambient Water	Fecal Coliform (SM9221E)	Total & Fecal & E. Coli (SM9221CFE) Waste/Ambient Water	Heterotrophic Plate Count (SimPlate)	Salmonella (SM9260D)	Enterococci (Idexx / SM9230B)	Legionella (Legiolert)					

**\*\*MAI clients MUST disclose any dangerous chemicals known to be present in their submitted samples in concentrations that may cause immediate harm or serious future health endangerment as a result of brief, gloved, open air, sample handling by MAI staff. Non-disclosure incurs an immediate \$250 surcharge and the client is subject to full legal liability for harm suffered. Thank you for your understanding and for allowing us to work safely.**

Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time	Comments / Instructions	

Matrix Code: DW=Drinking Water, GW=Ground Water, REC=Recreational Water, WW=Waste Water, SW=Seawater, S=Soil, SL=Sludge, A=Air, WP=Wipe, O=Other  
 Preservative Code: 1=4°C    2=HCL    3=H<sub>2</sub>SO<sub>4</sub>    4=HNO<sub>3</sub>    5=NaOH    6=ZnOAc/NaOH    7=None

Temp \_\_\_\_\_ °C      Initials \_\_\_\_\_