MAI Work Order # _____

7

McCAMPBELL ANALYTICAL, INC.

1534 Willow Pass Rd. Pittsburg, Ca. 94565-1701
Telephone: (877) 252-9262 / Fax: (925) 252-9269
www.mccampbell.com main@mccampbell.com

CHAIN OF CUSTODY RECORD

Turn Around Time:	Acute Rush		Chronic Rush		STD		Quote #	
							Bottle Order #	
Delivery Format:	PDF		GeoTracker EDF		EDD		Write On (DW)		EQuIS		

Report To: Bill To:
Company:
Email:
Alt Email: Tele:
Project Name: Project #:
Project Location: PO #
Sampler Signature:

Analysis Requested

SAMPLE ID Location / Field Point	Sampling Date	Sampling Time	#Containers	Matrix	Sample Volume	Acute *Ceriodaphnia dubia* (EPA 2002.0)	Acute Fathead Minnow (EPA 2000.0)	Acute Rainbow Trout (EPA 2019.0)	Acute Sheepshead Minnow (EPA 2004.0)	Chronic *Americamysis bahia* (EPA 1007.0)	Chronic Ceriodaphnia dubia (EPA 1002.0)	Chronic *Mytilus spp.* (EPA 1002.0)	Chronic Fathead Minnow (EPA 1000.0)	Chronic Selenastrum capricornutum (EPA 1003.0)	Hazardous Waste Screening Test (CDFG 1988)	Hazardous Waste Definitive Test (CDFG 1988)		Comments
Reference Toxicant Required																		
Acute Test Duration	48 hours																	
	96 hours																	
Acute Test Renewal Frequency	48-hour renewal																	
	Daily renewal																	

**MAI clients MUST disclose any dangerous chemicals known to be present in their submitted samples in concentrations that may cause immediate harm or serious future health endangerment as a result of brief, gloved, open air, sample handling by MAI staff. Non-disclosure incurs an immediate $250 surcharge and the client is subject to full legal liability for harm suffered. Thank you for your understanding and for allowing us to work safely.

Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time

Comments / Instructions

Matrix Code: AW=Ambient Water, GW=Ground Water, RW=Receiving Water, WW=Waste Water, SW=Seawater, HW=Hazardous Waste O=Other

Temp _____ °C Initials _____

Reset Form